



ROLAND AIRCRAFT
Am Flugplatz 12
D - 56743 Mendig

Fax: +49 (0) 2652 934 686 www.roland-aircraft.de

Tel.: +49 (0) 2652 934 685

Z-602 exclusiv

MTOW 525 kg - 600 kg

The Z -602 exclusiv is equipped with optical and outstanding aerodynamic details. The interior is very refined. High speed, comfortable seating combined with large baggage compartments in the wings make it the ideal tool for pilots to explore distant horizons.

Standard version serie:	Made in Germany	price list	2025-02
Aluminium sheets:	aviation quality, parts complete CNC cutted		
Corrosion protection:	on all contact points / lines is standard		
Screws:	aviation quality, AN		
Wing leading edge:	Countersunk rivets in the wing leading edge		
Other mounting hardware:	Bearings, bushings, connectors,		
	Quick locks, and much more. are quality products		
Cowling:	Carbon CFK, mounting with quick locks		
Canopy	Acrylic with UV protection, tinted, lockable		
Instrumentation:	Airspeed, Altimeter		
	Tachometer, compass		
	Flapsindicator with volt-		
	and tempindicator		
	Slip indicatur		
	Electric Fuel Gauge		
	Oil pressure and oil temperature indicator		
	Cylinder head temperature (water)		
	Choke, Gas with setting option		
	Fuse, overcurrent protection switch - automatic		
Panel:	Nextel painted by glare-free		
Ignition switch:	"on" and "off" electrical control of both magnets		
Engine:	Rotax 912 ULS (100 hp)		
	with slip clutch		
	and large starter		
	Exhaust system made of stainless steel		
	Additional electric fuel pump		
	Airbox made from CFK		
Firewall:	Stainless steel		
Petrol hose:	With heat protection	 	
Batterie:	Gel - Maintenance-free, 17 Amp, Standard approx. 6 kg		
	· · · · · · · · · · · · · · · · · · ·		1/4

Fuel Tanks: Wing tanks, 2 x 80 liters Filler cap: Lockable, Newton-quality milled Tank selector switch: 3-way switch, Newton-quality milled Propeller: 2 - blade CFK,adjustable on the ground Split flaps: Electrically adjustable Trim: Elevator, electrically adjustable Cable: Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts Gear: Robust, Air suspension					
Tank selector switch: Propeller: 2 - blade CFK,adjustable on the ground Split flaps: Electrically adjustable Trim: Elevator, electrically adjustable Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts					
Propeller: 2 - blade CFK,adjustable on the ground Split flaps: Electrically adjustable Trim: Elevator, electrically adjustable Cable: Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts					
Split flaps: Electrically adjustable Trim: Elevator, electrically adjustable Cable: Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts					
Trim: Elevator, electrically adjustable Cable: Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts					
Cable: Transferred to special protection tubes, Central plug on the fire wall Seat belt: 4-point shoulder belts					
Central plug on the fire wall Seat belt: 4-point shoulder belts					
Seat belt: 4-point shoulder belts	,				
Gear: Robust, Air suspension					
	•				
	Light alloy wheels, milled from solid material,				
Tire changing is easy to install,					
Hydraulic disc brakes with two-piston co	alipers				
	Foot brake, individual wheel brake				
Interior: Hardwearing, lightweight material	Hardwearing, lightweight material				
Ornate and individual Interior Features					
Padded center console with storage cor	mpartment				
	Storage pockets for cards and small parts on the spar				
	Adjustable ventilation				
Heat: Cabin heating by heat exchangers on th	e exhaust system				
Storage space: Modified luggage rack behind the seats (10 kg)					
Luggage compartment in the wings (2x	Luggage compartment in the wings (2x 15 kg)				
Stepping surface on the wings					
Lashing rings: Wings and tail					
Basic equipment Net amount	<u>19% VAT</u>	Incl. 19% VAT			
Nosewheel version 89.495,80	17.004,20	106.500,00	€		
Tailwheel version 89.495,80	17.004,20	106.500,00	€		
Tail wheel with retractable gear (RG) 99.193,28	18.846,72	118.040,00	€		
Z-602 economy	Price in Euro incl. 19% VAT	Zusammen-stellung			
	incl. 19% VAT	Zusammen-stellung			
Nose wheel without rescue system	incl. 19% VAT	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system	incl. 19% VAT 106.500,00 106.500,00	Zusammen-stellung			
Nose wheel without rescue system	incl. 19% VAT	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system	incl. 19% VAT 106.500,00 106.500,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system Tail wheel with retractable gear (RG)	incl. 19% VAT 106.500,00 106.500,00 120.200,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system Tail wheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB	incl. 19% VAT 106.500,00 106.500,00 120.200,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system Tail wheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB	incl. 19% VAT 106.500,00 106.500,00 120.200,00 68,00 80,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system Tail wheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB Fuel pressure	incl. 19% VAT 106.500,00 106.500,00 120.200,00 68,00 80,00 155,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel without rescue system Tail wheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB Fuel pressure Hourmeter minutes	incl. 19% VAT 106.500,00 106.500,00 120.200,00 68,00 80,00 155,00 95,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot	68,00 80,00 155,00 150,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot Radio 833 with antenna, 1x PTT hedged	incl. 19% VAT 106.500,00 106.500,00 120.200,00 68,00 80,00 155,00 95,00 150,00 2.800,00	Zusammen-stellung			
Nose wheel without rescue system Tailwheel with retractable gear (RG) Additional equipment 12V double socket 2x and 2x USB 2x USB Fuel pressure Hourmeter minutes Pressure sensor for Pitot	68,00 80,00 155,00 95,00 2.800,00	Zusammen-stellung			

Transponder Mode S, antenna		3.205,00	
		3.232,333	
Manifold Pressure (Vacuum display)		265,00	
Aileron trim electrically		680,00	
Vario		295,00	
Vertical compass	add. charge	285,00	
collision warning with displaywithout programming		2.370,00	
Programming on request			
ELT Kannad Integra EASY EVO complete kit		1.990,00	
Installation according to effort with-without remote control		??	
Propeller			
Propeller 2-Blade Carbon, electrically adjust., Spinner	add. charge	4.300,00	
Propeller 3-Blade Carbon, on ground adjustable	add. charge	600,00	
Propeller 3-Blade Carbon, electrically adjust., Spinner	add. charge	4.700,00	
Constand Speed	audi ondige	890,00	
Propeller balancing dynamically		250,00	
Tropener bulanting dynamically		230,00	
Paintwork			
Paintwork dans les coleurs standard		6.200,00	<u> </u>
Additional colors on request	add. charge		ļ
Two-color paint - straight separation	add. charge	2.000,00	
Metallic paintwork	add. charge	800,00	<u> </u>
Deco stripes - straight strips		600,00	ļ
Callsign with attaching		350,00	
Corrosion protection, inside complete		1.700,00	
Additional equipment			
Parachute Junkers Magnum with install hardware, MTOW 600 kg		7.995,00	
Parachute Junkers Magnum with install hardware, MTOW 540 kg		6.965,00	
Brake + Gas Copilot / Training		980,00	
Parking brake hydraulic		525,00	
	•		•
Batterie - 11 Ah, 13,2 V , LIFEPO , ca. 1,6 kg	add. charge	280,00	
Preheating for oil, 220 V		420,00	
Preheating for water, 220 V		420,00	
Oil cooler inlet flap, electrically adjustable		420,00	
Strobes for wings with Nav - red / green, Highpower LEDs		1.200,00	<u> </u>
Landinglight left wing , Highpower LEDs		500,00	
Landinglight fight wing, Highpower LEDs		500,00	
			_
Step for nosewheel and tailwheel		600,00	<u> </u>
Towing equipment for glider with additional oil cooler		4.450,00	

Fairing for wheel and leg, taildragger	СГК	1.800,00	
Fairing for wheel and leg, nose wheel	CFK	1.800,00	
Installed external start box + plug		200,00	
Jump start - modified> Starter Cable		70,00	
	-	•	•
Dorsal seat upholstery, additional	piece	95,00	
Carpet on the sidewall / seat		Standard	
Carpet with Storage bag on the sidewall	add. charge	120,00	
Storage pockets for cards and small parts on the spar	set	Standard	
Pocket at the side of the knee	piece	190,00	
Leather upgrade	add. charge	1.850,00	
Canopy - glued sun protection		250,00	
Cover, Persenning -> Canopy		240,00	
Cover, Persenning -> wings, fuselage, tail		395,00	
Suspension device is provided for hangarage		550,00	
Anti-glare protection for panel		380,00	
Anti-glare protection for panel with lighting		420,00	
Variant with one iPad / iPad is not included in the price			
iLevel 3 AW von LEVIL Aviation		2.150,00	
Mounting bracket		450,00	
Installation		1.600,00	
Variant with two iPad / iPad is not included in the price			
Variant with two iPad / iPad is not included in the price	مراط مامس	600,00	
Mounting bracket and installation	add. charge	600,00	

Your fully configured Z-602 costs with their desire accessories

Price complete incl. 19% German Tax	
German Tax 19% included	
Net	

More or other equipment on request / price list is valid for new aircraft

Production in Mendig / Germany / Free from Mendig